



SerialCables 存储测试环境连接产品速查手册

该文档为美国 SerialCables 公司的全线针对 **PCIe Gen 4**, **PCIe Gen 3**, 24G SAS, 12G SAS, 6G SAS/SATA 等测试相关的夹具, 转接线, 转接卡, Gen 4 延长线, SAS HBA, Gen 4 HBA, 以及 **PCIe Gen 4** 和 **Gen 3** 盘柜等产品的速查手册, 方便工程师可以快速查询到实验室测试所需的产品进行订购。

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
Gen4 Other Adapters, New Products	PCI-AD-x1-x16-G4	PCIe Gen4 x1 to x16 Adapter	
Gen4 Other Adapters, New Products	PCI-AD-x4-x16-G4	PCIe Gen4 x4 to x16 Adapter	
Gen4 Other Adapters, New Products	PCI-AD-x8-x16-G4	PCIe Gen4 x8 to x16 Adapter	
Gen4 Adapters U.3, New Products	PCI-AD-x439-01H-U3-G4	PCIe Gen4 x4 to U.3 Horizontal Adapter	0.7
Gen4 Adapters U.3, New Products	PCI-AD-x439-01V-U3-G4	PCIe Gen4 x4 to U.3 Vertical Adapter	
Gen4 Other Adapters, New Products	PCI-AD-x412E-04-G4	PCIe Gen4 x4 Slot to Oculink Passive Adapter	
New Products, SFF-8644 Cables	PCI4-4444SE2	PCIe Gen4 Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	
	PCI4-4444SE2-3M-S2	PCIe Gen4 Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable -	0.6
	PCI4-4444SE2-2M-S2	PCIe Gen4 Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable -	0.4
	PCI4-4444SE2-1M-S2	PCIe Gen4 Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable -	0.2
Gen4 Host Cards, New Products	PCI-AD-x16HE-BG4	PCIe Gen4 x16 SFF-8644 Host Card with Broadcom Atlas B0 PCIe Switch	1
Gen4 Host Cards, New Products	PCI-AD-x16M2x8-BG4	PCIe Gen4 x16 host card w/M.2 and x8 Straddle Mount Support	1
New Products, Oculink Cables	OCL4-1144	Gen4 x4 OCULink (SFF-8611) 42P to Ext. HD (SFF-8644) 36P Cable	
	OCL4-1144-1M	Gen4 x4 OCULink (SFF-8611) 42P to Ext. HD (SFF-8644) 36P Cable -	1.5
	OCL4-1144-0.5M	Gen4 x4 OCULink (SFF-8611) 42P to Ext. HD (SFF-8644) 36P Cable -	1
	OCL4-1144-0.25M	Gen4 x4 OCULink (SFF-8611) 42P to Ext. HD (SFF-8644) 36P Cable -	1
Gen4 Adapters U.3, New Products	PCI-U3-CLB-01-G4	PCIe Gen4 U.3 Compliance Load Board	0.2
Gen4 Other Adapters, New Products	PCI-AD-x4M2-04-G4	PCIe Gen4 x4 Slot – M.2 Adapter	0.1
New Products, PCIe Gen3 Microsemi Host Card	PCI-AD-x16HE-PS-MD-NTB	PCIe Gen3 x16 PCI SIG NTB External Host/Target Adapter	0.6
Gen4 Adapters, New Products	PCI-AD-x439-01V-U2-G4	PCIe Gen4 x4 to U.2 Vertical Adapter	

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
Gen4 Adapters, New Products	PCI-AD-4439U2-G4	PCIe Gen4 SFF-8644 – U.2 Adapter	0.1
	SA-44-4444L-2M-S2	Ext. HD MiniSAS (SFF-8644) to *2 Ext. HD MiniSAS (SFF-8644) Cable - SA-44-4444L-2M-S2	
	SA-44-4444L-1M-S2	Ext. HD MiniSAS (SFF-8644) to *2 Ext. HD MiniSAS (SFF-8644) Cable - SA-44-4444L-1M-S2	
Gen4 Adapters, New Products	PCI-AD-U2M2-04-G4	PCIe Gen4 U.2 to M.2 Adapter	0.2
Gen4 Adapters U.3, New Products	PCI-AD-4439U3-G4	PCIe Gen4 SFF-8644 – U.3 Adapter	0.1
Gen4 Adapters U.3, New Products	PCI-AD-U3M2-04-G4	PCIe Gen4 U.3 to M.2 Adapter	0.2
New Products, SFF-8644 Cables	PCI4-4444UWT-1M	PCIe Gen4 Ext. HD (SFF-8644/SFF-8674) to Ext. HD (SFF-8644/SFF-8674) Cable	0.3
Gen4 Adapters, New Products	PCI-AD-x439-01H-U2-G4	PCIe Gen4 x4 to U.2 Horizontal Adapter	0.7
Gen4 Adapters U.3, New Products	PCI-AD-1239-U3-G4	PCIe Gen4 Oculink SFF-8611 – U.3 Adapter	0.1
Gen4 Adapters, New Products	PCI-AD-1239-U2-G4	PCIe Gen4 Oculink SFF-8611 – U.2 Adapter	0.1
Gen4 Host Cards, New Products	PCI-AD-x16HI-BG4	PCIe Gen4 x16 SFF-8654 SlimSAS Host Card with Broadcom Atlas B0 PCIe Switch	1
	SAS4-7474A-0.5M	External HD (SFF-8674) 36-pin to External HD (SFF-8674) 36-pin Cable - SAS4-7474-0.5M	
SFF-8644 Cables, SlimSAS Cables	SLS-8X-44X2M-1M	SlimSAS X8 (SFF-8654) 74P to *2 MiniSAS HD (SFF-8644) Cable	0.1
PCIe Gen3 24 bay JBOF	SR_ATSRFR28TW	Rack Mount Kit for 24-bay JBOF	4
New Products, Slimline 24Gb/s Cables, SlimSAS Cables	SLSP-8X-39X2U3-0.5M	Gen4 SlimSAS x8 (SFF-8654) to *2 PCIe Drive Receptacle (SFF-8639) for U.3 Cable (1x4 Only)	1.2
New Products, Slimline 24Gb/s Cables, SlimSAS Cables	SLSP-8X-39X2F2-0.5M	Gen4 SlimSAS x8 (SFF-8654) to *2 PCIe Drive Receptacle (SFF-8639) Cable (for U.2, 2x2 only)	1.2
New Products, Slimline 24Gb/s Cables, SlimSAS Cables	SLSP-8X-39X2F4-0.5M	Gen4 SlimSAS x8 (SFF-8654) to *2 PCIe Drive Receptacle (SFF-8639) Cable (for U.2, 1x4 only)	1.2
Gen4 Adapters, New Products	PCI-AD-U2M2-04S2	PCIe Gen4 U.2 to M.2 Adapter w/ Microcontroller	0.2
	PCI-39M39F-2M	SFF-8639 Female to SFF-8639 Male Extension Cable - PCI-39M39F-2M	
PCIe Gen3 Cables	PCI-43-4343W-14in	Int. HD (SFF-8643) to *2 Int. HD (SFF-8643) Cable	0.5
PCIe Gen3 Cables	PCI-43-4343W-22in-N2	Int. HD (SFF-8643) to *2 Int. HD (SFF-8643) Cable	0.5

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
PCIe Gen3 Cables	PCI-4339B-N2	Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable	0.1
	PCI-4339B-0.5M-N2	Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable - PCI-4339B-0.5M-N2	0.7
	PCI-4339B-1M-N2	Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable - PCI-4339B-1M-N2	0.6
	PCI-4339B-2M-N2	Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable - PCI-4339B-2M-N2	0.8
PCIe Gen3 Cables	PCI-4339B-HDD-N2	*2 Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable	0.1
	PCI-4339B-HDD-0.5M-N2	*2 Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable - PCI-4339B-HDD-0.5M-N2	0.8
	PCI-4339B-HDD-1M-N2	*2 Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable - PCI-4339B-HDD-1M-N2	1.2
	PCI-4339B-HDD-2M-N2	*2 Int. HD 4i (SFF-8643) to *1 Gen3 Multilink PCIe (SFF-8639) Receptacle Cable - PCI-4339B-HDD-2M-N2	2
PCIe Gen3 Cables	PCI-4339I-N2	Int. HD (SFF-8643) to Multilink 68-pin (SFF-8639) w/15-pin SATA Power Cable	0.1
	PCI-4339I-0.5M-N2	Int. HD (SFF-8643) to Multilink 68-pin (SFF-8639) w/15-pin SATA Power Cable - PCI-4339I-0.5M-N2	0.2
	PCI-4339I-1M-N2	Int. HD (SFF-8643) to Multilink 68-pin (SFF-8639) w/15-pin SATA Power Cable - PCI-4339I-1M-N2	0.2
	PCI-4339I-2M-N2	Int. HD (SFF-8643) to Multilink 68-pin (SFF-8639) w/15-pin SATA Power Cable - PCI-4339I-2M-N2	0.5
PCIe Gen3 Cables	PCI-4339UW-1M-N2	Int. HD (SFF-8643) to Multilink 68-pin (SFF-8639) Cable	0.2
PCIe Gen3 Cables	PCI-4339W-1M-N2	Int. HD (SFF-8643) to Multilink 68-pin (SFF-8639) Cable	0.3
PCIe Gen3 Cables	PCI-43X8-44X2B-1M-S2N2	Int. HD (SFF-8643) x8 72-pin to *2 Ext. HD (SFF-8644) 36-pin 1M Cable	0.3
PCIe Gen3 Cables	PCI-43X8-44X2A-1M-S2N2	Int. HD (SFF-8643) x8 72-pin to *2 Ext. HD (SFF-8644) 36-pin Cable	0.3
PCIe Gen3 Cables	PCI-43X8-44X2U-1M-S2N2	Int. HD (SFF-8643) x8 72-pin to *2 Ext. HD (SFF-8644) 36-pin 1M Cable	0.5
PCIe Gen3 Cables	PCI-4439B-S2	Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable	0.1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	PCI-4439B-0.5M-S2	Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable	0.5
	PCI-4439B-1M-S2	Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable	0.6
	PCI-4439B-2M-S2	Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable	0.8
PCIe Gen3 Cables	PCI-4439AW-1M-S2	Ext. HD (SFF-8644) to Multilink 68-pin (SFF-8639) Cable	0.1
PCIe Gen3 Cables	PCI-4439UW-HDD-1M-S2	*2 Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable	0.2
PCIe Gen3 Cables	PCI-4439UW-1M-S2	Ext. HD (SFF-8644) to Multilink 68-pin (SFF-8639) Cable	0.1
PCIe Gen3 Cables	PCI-4443UWT-1M-S2N2	Ext. HD (SFF-8644) to Int. HD (SFF-8643) Cable	0.1
PCIe Gen3 Cables	PCI-4443W-1M-S1N2	Ext. HD 4x (SFF-8644) to Int. HD 4i (SFF-8643) Cable	0.1
PCIe Gen3 Cables	PCI-4444-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	0.2
PCIe Gen3 Cables	PCI-4444AA-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	0.1
PCIe Gen3 Cables	PCI-4444S-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) PCI SIG Compliant Cable	0.1
PCIe Gen3 Cables	PCI-4444UW-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	0.1
PCIe Gen3 Cables	PCI-4444UWT-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	0.1
PCIe Gen3 Adapters	PCI-AD-x4M2-04	PCIe Gen3 x4 slot to M.2 Adapter	0.1
PCIe Gen3 Adapters	PCI-AD-x444-x443A	PCIe Gen3 1x4 SFF-8644 to 1x4 SFF-8643 Adapter	0.2
PCIe Gen3 Adapters	PCI-AD-x444-01E	PCIe Gen3 x4 PCIe slot to SFF-8644 Passive Adapter	0.1
PCIe Gen3 Adapters	PCI-AD-x443-01I	PCIe Gen3 x4 SFF-8643 Passive Adapter	0.1
PCIe Gen3 Adapters	PCI-AD-x439-01HF	PCIe Gen3 x4 SFF-8639 U.2 PCIe Horizontal Adapter	0.8
PCIe Gen3 Adapters	PCI-AD-x439-01H	PCIe Gen3 x4 SFF-8639 PCIe U.2 Horizontal Adapter	0.2
PCIe Gen3 Adapters	PCI-AD-4339-2x2	Dual Port SFF-8643 to SFF-8639 PCIe/NVMe Multi-Purpose T-card	0.1
PCIe Gen3 Adapters	PCI-AD-4439-04-SDP	PCIe Dual Purpose T-card	0.1
PCIe Gen3 Adapters	PCI-AD-4439-04	SFF-8644 to U.2 PCIe Gen3 1x4 T-Card	0.1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
PCIe Gen3 Adapters	PCI-AD-M243-04-2280	M.2 to SFF-8643 x4 Passive Adapter (80mm)	0.1
PCIe Gen3 Adapters	PCI-AD-M243-04	M.2 to SFF-8643 x4 Passive Adapter	0.1
PCIe Gen3 Adapters	PCI-AD-U2M2-04	PCIe Gen3 U.2 to M.2 Adapter	0.1
PCIe Gen3 PLX based Host Cards	PCI-AD-x16HI	PCIe Gen3 x16 SFF-8643 PLX Switch-based Host Adapter	0.6
PCIe Gen3 PLX based Host Cards	PCI-AD-x16HE-PS	PCIe Gen3 x16 SFF-8644 PLX Switch-based PCI SIG Host Adapter	0.6
PCIe Gen3 PLX based Host Cards	PCI-AD-x16HE	PCIe Gen3 x16 SFF-8644 PLX Switch-based Host Adapter	0.6
Gen3 OCULink Cables, New Products, Oculink Cables	OCL-4X-7PS-0.5M	OCULink x4 (SFF-8611) Str. 42-pin to *4 7-pin SATA 0.5M Cable	0.1
Gen3 OCULink Cables, New Products, Oculink Cables	OCL-4X-87X1-1M	OCULink x4 42-pin (SFF-8611) to Int. SAS 36-pin (SFF-8087) 1M Cable	0.1
Gen3 OCULink Cables, New Products, Oculink Cables	OCLP-4X-4X4-0.5M	OCULink x4 42P (SFF-8611) to *4 OCULink x1 42P (SFF-8611) Cable	0.1
Gen3 OCULink Cables, New Products, Oculink Cables	OCLP-4X-4X2-0.5M	OCULink x4 42P (SFF-8611) to *2 OCULink x2 42P (SFF-8611) Cable	0.1
Gen3 OCULink Cables, New Products, Oculink Cables	OCLP-8X-43X2	OCULink x8 (SFF-8611) Str. 80-pin to *2 Int. MiniSAS HD (SFF-8643) x4 Str. 36-pin Cable	0.1
	OCLP-8X-43X2-0.5M	OCULink x8 (SFF-8611) Str. 80-pin to *2 Int. MiniSAS HD (SFF-8643) x4 Str. 36-pin Cable - OCLP-8X-43X2-0.5M	0.5
	OCLP-8X-43X2-1M	OCULink x8 (SFF-8611) Str. 80-pin to *2 Int. MiniSAS HD (SFF-8643) x4 Str. 36-pin Cable - OCLP-8X-43X2-1M	0.7
Gen3 OCULink Cables, New Products, Oculink Cables	OCLP-8X-4X2	OCULink x8 (SFF-8611) Str. 80-pin to *2 OCULink x4 (SFF-8611) Str. 42-pin Cable	0.1
	OCLP-8X-4X2-0.5M	OCULink x8 (SFF-8611) Str. 80-pin to *2 OCULink x4 (SFF-8611) Str. 42-pin Cable - OCLP-8X-4X2-0.5M	0.6
	OCLP-8X-4X2-1M	OCULink x8 (SFF-8611) Str. 80-pin to *2 OCULink x4 (SFF-8611) Str. 42-pin Cable - OCLP-8X-4X2-1M	0.7
Gen3 Slimline Cables, New Products, SlimSAS Cables	SLSP-4X-4X	Slimline x4 (SFF-8654) Str. 38-pin to Slimline x4 (SFF-8654) Str. 38-pin Cable	0.1
	SLSP-4X-4X-0.5M	Slimline x4 (SFF-8654) Str. 38-pin to Slimline x4 (SFF-8654) Str. 38-pin Cable - SLSP-4X-4X-0.5M	0.5
	SLSP-4x-4x-1M	Slimline x4 (SFF-8654) Str. 38-pin to Slimline x4 (SFF-8654) Str. 38-pin Cable - SLSP-4x-4x-1M	0.5
Gen3 Slimline Cables, New Products,	SLSP-4X-43X1-1M	Slimline x4 (SFF-8654) Str. 38-pin to Int. MiniSAS HD (SFF-8643) x4 Str. 36-pin	0.2

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
SlimSAS Cables		Cable	
New Products, PCIe Gen3 Microsemi Host Card	PCI-AD-x8HE-M	PCIe Gen3 x8 Internal/x8 External 24-port Host/Target Adapter	0.6
New Products, PCIe Gen3 Microsemi Host Card	PCI-AD-x16HE-M	PCIe Gen3 x16 SFF-8644 Microsemi Switch-based Host Adapter	0.6
New Products, PCIe Gen3 Microsemi Host Card	PCI-AD-x16HE-PS-MD	PCIe Gen3 x16 PCI SIG External Host/Target Adapter	0.6
New Products, PCIe Gen3 Microsemi Host Card	PCI-AD-x16HI-M	PCIe Gen3 x16 SFF-8643 Microsemi Switch-based Host Adapter	0.6
New Products, PCIe Gen3 Switch	PCI-SWG3-024E	PCIe Gen3 24-port Switch	36.2
PCIe Gen3 Switch	PCI-SW Gen3 -81U	PCIe Gen3 12-port PLX Switch	1
New Products, PCIe Gen3 24 bay JBOF	PCI-ENC8G-24UM	PCIe Gen3 24-bay 2.5" JBOF (Microsemi Switches)	36.2
SMA based test cables	ST-7PSSMA-4x	ST-7PSSMA-4x	0.1
SMA based test cables	SA-36H200-16x	SA-36H200-16x	0.1
SMA based test cables	SA-36H350-16x	SA-36H350-16x	0.1
SMA based test cables	SA-36H73-16x	SA-36H73-16x	0.5
SMA based test cables	SA-87SMA-16x	SA-87SMA-16x	0.2
SMA based test cables	SA-44SMA-16X	SA-44SMA-16X	0.3
SMA based test cables	SA-88SMA-16x	SA-88SMA-16x	0.3
SMA based test cables	SA-SFPSMA18-4x	SA-SFPSMA18-4x	0.2
SMA based test cables	SA-31H73-4x	SA-31H73-4x	0.2
PCIe Gen3 Cables	PCI-39M39F	SFF-8639 Female to SFF-8639 Male Extension Cable	0.3
Slimline 24Gb/s Cables	SLS-8X-8X	Slimline SAS x8 (SFF-8654) 74-pin to Slimline SAS x8 (SFF-8654) 74-pin Cable	0.2
Slimline 24Gb/s Cables	SLS-8X-4X2-1M	Slimline x8 (SFF-8654) Str. 74-pin to *2 Slimline x4 (SFF-8654) Str. 38-pin Cable	0.2
PCIe Gen3 Cables	PCI-4444SE2-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) PCI SIG Compliant Cable	0.3
	SLS-8X-8X-0.5M	Slimline SAS x8 (SFF-8654) 74-pin to Slimline SAS x8 (SFF-8654) 74-pin Cable - SLS-8X-8X-0.5M	
	SLS-8X-8X-1M	Slimline SAS x8 (SFF-8654) 74-pin to Slimline SAS x8 (SFF-8654) 74-pin Cable - SLS-8X-8X-1M	

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
Uncategorized	SA-PE4x-1m	SA-PE4x - SA-PE4x-1m	
	SA-PE4x-2m	SA-PE4x - SA-PE4x-2M	
	SA-PE4x-3m	SA-PE4x - SA-PE4x-3m	
	SA-PE4x-5m	SA-PE4x - SA-PE4x-5m	
	SA-PE8x	SA-PE8x	0.5
	SA-PE8x-1m	SA-PE8x - SA-PE8x-1m	
	SA-PE8x-2m	SA-PE8x - SA-PE8x-2m	
	SA-PE8x-3m	SA-PE8x - SA-PE8x-3m	
	PCI-39M39F-0.5M	SFF-8639 Female to SFF-8639 Male Extension Cable - PCI-39M39F-0.5M	
	PCI-39M39F-1M	SFF-8639 Female to SFF-8639 Male Extension Cable - PCI-39M39F-1M	
HD Mini-SAS Cables (12Gb/s)	PCI-4444SE2-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) PCI SIG Compliant Cable - PCI-4444SE2-1M-S2	0.2
	PCI-4444SE2-2M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) PCI SIG Compliant Cable - PCI-4444SE2-2M-S2	0.4
	PCI-4444SE2-3M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) PCI SIG Compliant Cable - PCI-4444SE2-3M-S2	0.6
	SA-4480M-BP	Ext. MiniSAS HD (SFF-8644) to *2 Dual Port 12G SAS Drive (SFF-8680) Male Plug Cable	0.1
	SA-4480M-BP-0.5M-S2	Ext. MiniSAS HD (SFF-8644) to *2 Dual Port 12G SAS Drive (SFF-8680) Male Plug Cable - SA-4480M-BP-0.5M-S2	0.2
	SA-4480M-BP-1M-S2	Ext. MiniSAS HD (SFF-8644) to *2 Dual Port 12G SAS Drive (SFF-8680) Male Plug Cable - SA-4480M-BP-1M-S2	0.8
New Products, PCIe Gen3 24 bay JBOF	SA-4480M-BP-2M-S2	Ext. MiniSAS HD (SFF-8644) to *2 Dual Port 12G SAS Drive (SFF-8680) Male Plug Cable - SA-4480M-BP-2M-S2	1
	PCI-ENC8G-24UM-2X2	PCIe Gen3 24-bay 2x2 JBOF (Microsemi Switches)	36.2
	MPT-Gen3-24	SAS/SATA & PCIe /NVMe 24-bay Drive Enclosure	
	PCI-Gen3-SE-24	Multi-Protocol Test System Switch Enclosure	
	640-0720-000	SFF-8639 (U.2) Host Plug Adapter	
	640-0721-000	SFF-8639 (U.2) Device Receptacle Adapter	
	Multi-protocol U.2 SSD Test System, New Products		
	Multi-protocol U.2 SSD Test System, New Products		
Wilder SMA Fixtures, SFF-8639 Fixtures, New Products, SFF-8639 Fixtures, Wilder SMA Fixtures			

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0722-000	SFF-8639 (U.2) Host Plug Adapter & SFF-8639 (U.2) Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0723-000	SFF-8639 (U.2) <i>PCIe</i> Host Plug Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0724-000	SFF-8639 (U.2) <i>PCIe</i> Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0725-000	SFF-8639 (U.2) Host Plug Adapter & SFF-8639 (U.2) Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0726-000	SFF-8639 SATA Host Plug Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0727-000	SFF-8639 SATA Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0728-000	SFF-8639 SATA Host Plug Adapter & SFF-8639 SATA Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0729-000	SFF-8639 SAS-X4 Host Plug Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0730-000	SFF-8639 SAS ML Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0731-000	SFF-8639 SAS ML Host Plug Adapter & SFF-8639 Device Receptacle Adapter	
New Products, SFF-8639 Fixtures, Wilder SMA Fixtures	640-0732-000	SFF-8639 Configuration Board	
M.2 Socket 2, M.2 Socket 3, New Products, Wilder SMA Fixtures	600-1096-000	SATA M.2 Length Host Adapter Kit (Plug)	
M.2 Socket 2, M.2 Socket 3, New Products, Wilder SMA Fixtures	600-1097-000	SATA M.2 Support Mounting Kit (Receptacle)	
M.2 Socket 3, New Products, Wilder SMA Fixtures	640-0666-000	<i>PCIe</i> M.2 Socket 3 Host Plug Adapter	
M.2 Socket 3, New Products, Wilder SMA Fixtures	640-0667-000	<i>PCIe</i> M.2 Socket 3 device Receptacle Adapter	
M.2 Socket 3, New Products, Wilder SMA Fixtures	640-0668-000	<i>PCIe</i> M.2 Socket 3 Host Plug Adapter & <i>PCIe</i> M.2 Socket 3 device Receptacle Adapter	
M.2 Socket 2, New Products, Wilder SMA Fixtures	640-0669-000	<i>PCIe</i> M.2 Socket 2 Host Plug Adapter	
M.2 Socket 2, New Products, Wilder SMA Fixtures	640-0670-000	<i>PCIe</i> M.2 Socket 2 device Receptacle Adapter	

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
M.2 Socket 2, New Products, Wilder SMA Fixtures	640-0671-000	PCIe M.2 Socket 2 Host Plug Adapter & PCIe M.2 Socket 2 device Receptacle Adapter	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0360-000	Mini-SAS HD Plug Adapter (Right)	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0361-000	Mini-SAS HD Plug Adapter (Left)	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0362-000	Mini-SAS HD Receptacle Adapter	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0363-000	Mini-SAS HD Calibration Module	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0365-000	Mini-SAS HD Plug Adapter (Right) & Mini-SAS HD Receptacle Adapter	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0366-000	Mini-SAS HD Plug Adapter (Right) & Mini-SAS HD Receptacle Adapter & Mini-SAS HD Calibration Module	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0368-000	Mini-SAS HD Plug Adapter (Right) & Mini-SAS HD Receptacle Adapter (x2) & Mini-SAS HD Calibration Module	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0369-000	Mini-SAS HD Plug Adapters (Right & Left) & Mini-SAS HD Receptacle Adapter	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0370-000	Mini-SAS HD Plug Adapter (Left) & Mini-SAS HD Receptacle Adapter	
MiniSAS HD, New Products, Wilder SMA Fixtures	640-0371-000	Mini-SAS HD Plug Adapters (Right & Left)	
New Products, PCIe Gen3 Cables	PCI-4444PS-UT-1M-S2	Ext. SAS HD (SFF-8644) to Ext. SAS HD (SFF-8644) w/no EEPROM Cable	
HD Mini-SAS Adapters	SA-AD-4444-LB	Ext. MiniSAS HD (SFF-8644) Loopback Adapter	0.2
SMA based boards	SA-36SMA-SPB	QSFP (SFF-8436) - SMA Breakout Board	3
QSFP+ Cables	SA-3636	QSFP (SFF-8436) - QSFP (SFF-8436) Cable	0.3
	SA-3636-.5m	QSFP (SFF-8436) - QSFP (SFF-8436) Cable - SA-3636-.5m	0.2
	SA-3636-1m	QSFP (SFF-8436) - QSFP (SFF-8436) Cable - SA-3636-1m	0.5
	SA-3636-2m	QSFP (SFF-8436) - QSFP (SFF-8436) Cable - SA-3636-2m	1
	SA-3636-3m	QSFP (SFF-8436) - QSFP (SFF-8436) Cable - SA-3636-3m	1
	SA-3636-4m	QSFP (SFF-8436) - QSFP (SFF-8436) Cable - SA-3636-4m	1.6
	SA-3636-5m	QSFP (SFF-8436) - QSFP (SFF-8436) Cable - SA-3636-5m	2
QSFP+ Cables	SA-36S7P	QSFP+ (SFF-8436) - SATA (4x) Cable	0.3

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
QSFP+ Cables	SA-36S7P-.5m	QSFP+ (SFF-8436) - SATA (4x) Cable - SA-36S7P-.5m	1
	SA-36S7P-1m	QSFP+ (SFF-8436) - SATA (4x) Cable - SA-36S7P-1m	1
	SA-36S7P-2m	QSFP+ (SFF-8436) - SATA (4x) Cable - SA-36S7P-2m	1
	SA-36S7P-3m	QSFP+ (SFF-8436) - SATA (4x) Cable - SA-36S7P-3m	1
	SA-8836	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable	0.3
	SA-8836-.5m	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable - SA-8836-.5m	1
	SA-8836-1m	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable - SA-8836-1m	1
	SA-8836-2m	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable - SA-8836-2m	1
	SA-8836-3m	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable - SA-8836-3m	1
	SA-8836-4m	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable - SA-8836-4m	2
QSFP+ Cables	SA-8836-5m	Ext. MiniSAS (SFF-8088) - QSFP+ (SFF-8436) Cable - SA-8836-5m	2
	SA-B36S7P	SATA (4x) - QSFP+ (SFF-8436) Cable	0.3
	SA-B36S7P-.5m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-B36S7P-.5m	1
	SA-B36S7P-1m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-B36S7P-1m	1
	SA-B36S7P-2m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-B36S7P-2m	1
QSFP+ Cables	SA-B36S7P-3m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-B36S7P-3m	1
	SA-BS7P36	SATA (4x) - QSFP+ (SFF-8436) Cable	0.4
	SA-BS7P36-.5m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-BS7P36-.5m	1
	SA-BS7P36-1m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-BS7P36-1m	1
	SA-BS7P36-2m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-BS7P36-2m	1
QSFP+ Cables	SA-BS7P36-3m	SATA (4x) - QSFP+ (SFF-8436) Cable - SA-BS7P36-3m	1
	SA-S7P36	SATA (4x) to QSFP+ (SFF-8436) Cable	0.3
	SA-S7P36-.5m	SATA (4x) to QSFP+ (SFF-8436) Cable - SA-S7P36-.5m	1
	SA-S7P36-1m	SATA (4x) to QSFP+ (SFF-8436) Cable - SA-S7P36-1m	1
	SA-S7P36-2m	SATA (4x) to QSFP+ (SFF-8436) Cable - SA-S7P36-2m	1
	SA-S7P36-3m	SATA (4x) to QSFP+ (SFF-8436) Cable - SA-S7P36-3m	1
Gen3 Slimline Cables, New Products, SlimSAS Cables	SLSP-8X-8X	Slimline x8 (SFF-8654) Str. 74-pin to Slimline x8 (SFF-8654) Str. 74-pin Cable	0.1
	SLSP-8X-8X-0.5M	Slimline x8 (SFF-8654) Str. 74-pin to Slimline x8 (SFF-8654) Str. 74-pin Cable - SLSP-8X-8X-0.5M	0.5
	SLSP-8X-8X-1M	Slimline x8 (SFF-8654) Str. 74-pin to Slimline x8 (SFF-8654) Str. 74-pin Cable - SLSP-8X-8X-1M	0.5

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
Gen3 OCULink Cables, New Products, Oculink Cables	OCL4-1239	X4 OCULink (SFF-8611) to Multilink PCIe4 /NVMe Drive (SFF-8639) Cable	0.2
	OCL4-1239-0.5M	X4 OCULink (SFF-8611) to Multilink PCIe4 /NVMe Drive (SFF-8639) Cable - OCL4-1239-0.5M	1.5
	OCL4-1239-1M	X4 OCULink (SFF-8611) to Multilink PCIe4 /NVMe Drive (SFF-8639) Cable - OCL4-1239-1M	1.5
Gen3 OCULink Cables, New Products, Oculink Cables	OCLP-4X-4X	OCULink X4 (SFF-8611) Str. 42P to OCULink X4 (SFF-8611) Str. 42P Cable	0.1
	OCLP-4X-4X-0.5M	OCULink X4 (SFF-8611) Str. 42P to OCULink X4 (SFF-8611) Str. 42P Cable - OCLP-4X-4X-0.5M	0.5
	OCLP-4X-4X-1M	OCULink X4 (SFF-8611) Str. 42P to OCULink X4 (SFF-8611) Str. 42P Cable - OCLP-4X-4X-1M	1.5
Gen3 OCULink Cables, New Products, Oculink Cables	OCLP-8X-8X	OCULink x8 (SFF-8611) Str. 80P to OCULink x8 (SFF-8611) Str. 80P Cable	0.1
	OCLP-8X-8X-0.5M	OCULink x8 (SFF-8611) Str. 80P to OCULink x8 (SFF-8611) Str. 80P Cable - OCLP-8X-8X-0.5M	0.5
	OCLP-8X-8X-1M	OCULink x8 (SFF-8611) Str. 80P to OCULink x8 (SFF-8611) Str. 80P Cable - OCLP-8X-8X-1M	0.6
Gen3 OCULink Cables, New Products	PCI-43X8-12X2-1M-N2	MiniSAS HD (SFF-8643) x8 Str. 72P to *2 OCULink x4 (SFF-8611) Str. 42P Cable	0.6
PCIe 8 bay Direct Attached JBOF	PCI-ENC8G-08A	PCIe /NVMe Gen3, 2.5" 8-slot Vertical Drive Enclosure	13
PCIe Gen3 12 port 2x2 Test Box	DTB-12PCI-G3A-2x2	PCIe Gen3 12-port 2x2 Test Box	50
PCIe Gen3 24 port 1x4 Test Box	DTB-24PCI-G3A	PCIe Gen3 24 tool-less 2.5" Drive Test Box	52
New Products, PCIe Gen3 24 bay JBOF	PCI-ENC8G-024U	PCIe Gen3 24-bay 2.5" JBOF (PLX Switches)	36.2
PCIe Gen3 Cables	BWD-43X8-39X2	Int. MiniSAS HD (SFF-8643) x8 to *2 PCIe Multilink (SFF-8639) Cable	0.5
	BWD-43X8-39X2-0.5M	Int. MiniSAS HD (SFF-8643) x8 to *2 PCIe Multilink (SFF-8639) Cable - BWD-43X8-39X2-0.5M	0.6
	BWD-43X8-39X2-1M	Int. MiniSAS HD (SFF-8643) x8 to *2 PCIe Multilink (SFF-8639) Cable - BWD-43X8-39X2-1M	1
PCIe Gen3 Cables	H56272-0011	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	1
PCIe Gen3 Cables	PCI-43-4343UW-N2	Int. HD MiniSAS (SFF-8643) 4i to *2 Int. HD MiniSAS (SFF-8643) Cable	0.3

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	PCI-43-4343UW-0.5M-N2	Int. HD MiniSAS (SFF-8643) 4i to *2 Int. HD MiniSAS (SFF-8643) Cable - PCI-43-4343UW-0.5M-N2	0.4
	PCI-43-4343UW-1M-N2	Int. HD MiniSAS (SFF-8643) 4i to *2 Int. HD MiniSAS (SFF-8643) Cable - PCI-43-4343UW-1M-N2	0.5
PCIe Gen3 Cables	PCI-4312H-1M-N2	Int. MiniSAS HD 4i (SFF-8643) - x4 OCUlink (SFF-8612) Cable	0.8
PCIe Gen3 Cables	PCI-4339i-HDD-N2	*2 Int. HD MiniSAS (SFF-8643) to PCIe Drive (SFF-8639) Cable w/ Power	0.5
	PCI-4339i-HDD-1M-N2	*2 Int. HD MiniSAS (SFF-8643) to PCIe Drive (SFF-8639) Cable w/ Power - PCI-4339i-HDD-1M-N2	1
	PCI-4339i-HDD-0.5M-N2	*2 Int. HD MiniSAS (SFF-8643) to PCIe Drive (SFF-8639) Cable w/ Power - PCI-4339i-HDD-0.5M-N2	0.6
PCIe Gen3 Cables	PCI-4343UW-N2	Int. HD (SFF-8643) 4i to Int. HD (SFF-8643) 4i Cable	0.1
	PCI-4343UW-0.5M-N2	Int. HD (SFF-8643) 4i to Int. HD (SFF-8643) 4i Cable - PCI-4343UW-0.5M-N2	0.5
	PCI-4343UW-1M-N2	Int. HD (SFF-8643) 4i to Int. HD (SFF-8643) 4i Cable - PCI-4343UW-1M-N2	0.7
PCIe Gen3 Cables	PCI-43X8-43X2i-N2	Int. HD (SFF-8643) x8 72-pin to *2 36-pin (SFF-8643) x4 Cable	0.5
	PCI-43X8-43X2i-0.5M-N2	Int. HD (SFF-8643) x8 72-pin to *2 36-pin (SFF-8643) x4 Cable - PCI-43X8-43X2i-0.5M-N2	0.5
	PCI-43X8-43X2i-1M-N2	Int. HD (SFF-8643) x8 72-pin to *2 36-pin (SFF-8643) x4 Cable - PCI-43X8-43X2i-1M-N2	1.5
PCIe Gen3 Cables	PCI-44-4444UW-1M-S2	Ext. HD (SFF-8644) to *2 Ext. HD (SFF-8644) Cable	0.6
PCIe Gen3 Cables	PCI-4412-1M-S2	Ext. MiniSAS HD (SFF-8644) to x4 OCUlink (SFF-8611) Cable	0.6
PCIe Gen3 Cables	PCI-4439B-HDD-S2	*2 Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable	0.5
	PCI-4439B-HDD-0.5M-S2	*2 Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable - PCI-4439B-HDD-0.5M-S2	0.2
	PCI-4439B-HDD-1M-S2	*2 Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable - PCI-4439B-HDD-1M-S2	0.5
	PCI-4439B-HDD-2M-S2	*2 Ext. HD (SFF-8644) to *1 Gen3 Multilink PCIe (SFF-8639) Cable - PCI-4439B-HDD-2M-S2	1.2
PCIe Gen3 Cables	PCI-4444AW	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable	0.5
	PCI-4444AW-.5M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable - PCI-4444AW-.5M-S2	1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	PCI-4444AW-1M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable - PCI-4444AW-1M-S2	1
	PCI-4444AW-2M-S2	Ext. HD (SFF-8644) to Ext. HD (SFF-8644) Cable - PCI-4444AW-2M-S2	1
PCIe Gen3 Cables	PCI-44X2-12-1M-S2	OCUlink x4 42-pin (SFF-8611) to *2 Ext. HD (SFF-8644) x2 36-pin Cable	0.5
Uncategorized		PCIe-16x	0.8
	PCIe-16x-1m	PCIe-16x - PCIe-16x-1m	1
	PCIe-16x-2m	PCIe-16x - PCIe-16x-2m	1
	PCIe-16x-3m	PCIe-16x - PCIe-16x-3m	1
	PCIe-16x-4m	PCIe-16x - PCIe-16x-4m	2
	PCIe-16x-5m	PCIe-16x - PCIe-16x-5m	2
Uncategorized	PCIe-8x-5m	PCIe-8x-5m	1.8
PCIe Gen3 Cables		SA-PE4x	1
SAS Cables		SA-7070	0.1
	SA-7070-.5M	SA-7070 - SA-7070-.5M	1
	SA-7070-1M	SA-7070 - SA-7070-1M	1
	SA-7070-2M	SA-7070 - SA-7070-2M	1
	SA-7070-3M	SA-7070 - SA-7070-3M	1
	SA-7070-4M	SA-7070 - SA-7070-4M	1
	SA-7070-5M	SA-7070 - SA-7070-5M	2
	SA-7070-6M	SA-7070 - SA-7070-6M	3
	SA-7070-8M	SA-7070 - SA-7070-8M	5
SAS Cables		SA-70S7P	0.3
	SA-70S7P-.5M	SA-70S7P - SA-70S7P-.5M	1
	SA-70S7P-1M	SA-70S7P - SA-70S7P-1M	1
	SA-70S7P-2M	SA-70S7P - SA-70S7P-2M	1
	SA-70S7P-3M	SA-70S7P - SA-70S7P-3M	1
SAS Cables	SA-82M82F-1M	SA-82M82F-1M	0.4
SAS Cables	SA-8484-1M	SA-8484-1M	0.5
SAS Cables	SA-84S7P-1M	SA-84S7P-1M	0.3
SAS Cables		SA-S7P70	0.1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-S7P70-.5M	SA-S7P70 - SA-S7P70-.5M	1
	SA-S7P70-1M	SA-S7P70 - SA-S7P70-1M	1
	SA-S7P70-2M	SA-S7P70 - SA-S7P70-2M	1
	SA-S7P70-3M	SA-S7P70 - SA-S7P70-3M	1
SAS Cables		SA-S7PBP-2	0.1
	SA-S7PBP-2-.5M	SA-S7PBP-2 - SA-S7PBP-2-.5M	0.2
	SA-S7PBP-2-1M	SA-S7PBP-2 - SA-S7PBP-2-1M	1
SAS Cables		SA-S7PHDD-2	0.1
	SA-S7PHDD-2-.5M	SA-S7PHDD-2 - SA-S7PHDD-2-.5M	1
	SA-S7PHDD-2-1M	SA-S7PHDD-2 - SA-S7PHDD-2-1M	1
Internal Mini-SAS Cables		SA-8487RA	0.5
	SA-8487RA-.5M	SA-8487RA - SA-8487RA-.5M	1
	SA-8487RA-1M	SA-8487RA - SA-8487RA-1M	1
Internal Mini-SAS Cables		SA-84RA87	0.1
	SA-84RA87-.5M	SA-84RA87 - SA-84RA87-.5M	1
	SA-84RA87-1M	SA-84RA87 - SA-84RA87-1M	1
Internal Mini-SAS Cables		SA-8770	0.1
	SA-8770-.5M	SA-8770 - SA-8770-.5M	1
	SA-8770-1M	SA-8770 - SA-8770-1M	1
	SA-8770-2M	SA-8770 - SA-8770-2M	1
	SA-8770-3M	SA-8770 - SA-8770-3M	1
Internal Mini-SAS Cables	SA-8782	Int MiniSAS (SFF-8087) Host to *4 HDD Drive Cable	0.1
	SA-8782-.5M	Int MiniSAS (SFF-8087) Host to *4 HDD Drive Cable - SA-8782-.5M	1
	SA-8782-1M	Int MiniSAS (SFF-8087) Host to *4 HDD Drive Cable - SA-8782-1M	1
Internal Mini-SAS Cables		SA-8784RA	0.1
	SA-8784RA-.5M	SA-8784RA - SA-8784RA-.5M	1
	SA-8784RA-1M	SA-8784RA - SA-8784RA-1M	1
Internal Mini-SAS Cables		SA-8787-H2H	0.1
	SA-8787-H2H-1M	SA-8787-H2H - SA-8787-H2H-1M	1
	SA-8787-H2H-2M	SA-8787-H2H - SA-8787-H2H-2M	1
Internal Mini-SAS Cables		SA-87RA87RA-H2T	0.2

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-87RA87RA-H2T-1M	SA-87RA87RA-H2T - SA-87RA87RA-H2T-1M	1
	SA-87RA87RA-H2T-2M	SA-87RA87RA-H2T - SA-87RA87RA-H2T-2M	1
Internal Mini-SAS Cables		SA-F87S7P	0.2
	SA-F87S7P-1M	SA-F87S7P - SA-F87S7P-1M	1
	SA-F87S7P-2M	SA-F87S7P - SA-F87S7P-2M	1
Internal Mini-SAS Cables		SA-FS7P87	0.1
	SA-FS7P87-1M	SA-FS7P87 - SA-FS7P87-1M	1
	SA-FS7P87-2M	SA-FS7P87 - SA-FS7P87-2M	1
Int. HD Mini-SAS Cables (IPass+)		SA-4343-N2	0.1
	SA-4343-.3M-N2	SA-4343-N2 - SA-4343-.3M-N2	0.1
	SA-4343-.4M-N2	SA-4343-N2 - SA-4343-.4M-N2	0.1
	SA-4343-.5M-N2	SA-4343-N2 - SA-4343-.5M-N2	0.1
	SA-4343-.6M-N2	SA-4343-N2 - SA-4343-.6M-N2	0.2
	SA-4343-1M-N2	SA-4343-N2 - SA-4343-1M-N2	0.6
Int. HD Mini-SAS Cables (IPass+)		SA-4382-N2	0.2
	SA-4382-.5M-N2	SA-4382-N2 - SA-4382-.5M-N2	1
	SA-4382-1M-N2	SA-4382-N2 - SA-4382-1M-N2	1
	SA-4382-2M-N2	SA-4382-N2 - SA-4382-2M-N2	1
Int. HD Mini-SAS Cables (IPass+)		SA-43RA82-N2	0.1
	SA-43RA82-.8M-N2	SA-43RA82-N2 - SA-43RA82-.8M-N2	1
	SA-43RA82-1M-N2	SA-43RA82-N2 - SA-43RA82-1M-N2	1
	SA-43RA82-2M-N2	SA-43RA82-N2 - SA-43RA82-2M-N2	1
Int. HD Mini-SAS Cables (IPass+)		SA-4443-S2N2	0.1
	SA-4443-.3M-S2N2	SA-4443-S2N2 - SA-4443-.3M-S2N2	1
	SA-4443-.4M-S2N2	SA-4443-S2N2 - SA-4443-.4M-S2N2	1
	SA-4443-.5M-S2N2	SA-4443-S2N2 - SA-4443-.5M-S2N2	1
	SA-4443-.6M-S2N2	SA-4443-S2N2 - SA-4443-.6M-S2N2	1
	SA-4443-1M-S2N2	SA-4443-S2N2 - SA-4443-1M-S2N2	1
	SA-4443-2M-S2N2	SA-4443-S2N2 - SA-4443-2M-S2N2	2
	SA-4443-3M-S2N2	SA-4443-S2N2 - SA-4443-3M-S2N2	2
Int. HD Mini-SAS Cables (IPass+)		SA-8743-N2	0.1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-8743-.4M-N2	SA-8743-N2 - SA-8743-.4M-N2	1
	SA-8743-.5M-N2	SA-8743-N2 - SA-8743-.5M-N2	1
	SA-8743-.6M-N2	SA-8743-N2 - SA-8743-.6M-N2	1
	SA-8743-1M-N2	SA-8743-N2 - SA-8743-1M-N2	1
	SA-8743-2M-N2	SA-8743-N2 - SA-8743-2M-N2	1
Int. HD Mini-SAS Cables (IPass+)		SA-8843-N2	0.1
	SA-8843-1M-N2	SA-8843-N2 - SA-8843-1M-N2	1
	SA-8843-2M-N2	SA-8843-N2 - SA-8843-2M-N2	1
	SA-8843-3M-N2	SA-8843-N2 - SA-8843-3M-N2	1
Int. HD Mini-SAS Cables (IPass+)		SA-F43S7P-N2	0.1
	SA-F43S7P-.5M-N2	SA-F43S7P-N2 - SA-F43S7P-.5M-N2	0.1
	SA-F43S7P-1M-N2	SA-F43S7P-N2 - SA-F43S7P-1M-N2	1
	SA-F43S7P-2M-N2	SA-F43S7P-N2 - SA-F43S7P-2M-N2	1
	SA-F43S7P-3M-N2	SA-F43S7P-N2 - SA-F43S7P-3M-N2	1
Int. HD Mini-SAS Cables (IPass+)		SA-FS7P43-N2	0.1
	SA-FS7P43-.5M-N2	SA-FS7P43-N2 - SA-FS7P43-.5M-N2	0.1
	SA-FS7P43-1M-N2	SA-FS7P43-N2 - SA-FS7P43-1M-N2	1
	SA-FS7P43-2M-N2	SA-FS7P43-N2 - SA-FS7P43-2M-N2	1
	SA-FS7P43-3M-N2	SA-FS7P43-N2 - SA-FS7P43-3M-N2	1
Active Mini-SAS Cables		SA-8888IC	0.1
	SA-8888IC-10M	SA-8888IC - SA-8888IC-10M	4.5
	SA-8888IC-20M	SA-8888IC - SA-8888IC-20M	8
24bay 2.5" DAS JBOD	SA-ENC12G-024A	24-port Direct Attach SAS JBOF	48
24bay 2.5" SAS/SATA Test Box	DTB-2401G3-1	DTB-2401G3-1	52
Rackmount Trays for 8bay JBOD	03-1242-01A	JBOD 19" Rack Mount Tray	0.5
8bay DAS JBOD	SA-ENC12G-01A	8 Port SAS Direct Attached JBOD	13
HD Mini-SAS Adapters	06-1984-01A	06-1984-01A	1
HD Mini-SAS Adapters	SA-44X2F-43X2	Dual HD MiniSAS Receptacle (SFF-8644) to Dual Int MD MiniSAS Plug (SFF-8643) Adapter	0.3
	SA-44X2F-43X2-19.5	Dual HD MiniSAS Receptacle (SFF-8644) to Dual Int MD MiniSAS Plug (SFF-8643) Adapter - SA-44X2F-43X2-19.5	1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-44X2F-43X2-6in	Dual HD MiniSAS Receptacle (SFF-8644) to Dual Int MD MiniSAS Plug (SFF-8643) Adapter - SA-44X2F-43X2-6in	1
MiniLink 24Gb/s Cables, New Products	ML-12X2	Minilink x4 (SFF-8611) to Minilink x4 (SFF-8611) Cable	0.1
	ML-12X2-0.5M	Minilink x4 (SFF-8611) to Minilink x4 (SFF-8611) Cable - ML-12X2-0.5M	1
	ML-12X2-1M	Minilink x4 (SFF-8611) to Minilink x4 (SFF-8611) Cable - ML-12X2-1M	1
New Products, Slimline 24Gb/s Cables	SLS-4X-4X	Slimline SAS x4 (SFF-8654) 38-pin to Slimline SAS x4 (SFF-8654) 38-pin Cable	0.1
	SLS-4X-4X-0.5M	Slimline SAS x4 (SFF-8654) 38-pin to Slimline SAS x4 (SFF-8654) 38-pin Cable - SLS-4X-4X-0.5M	0.1
	SLS-4X-4X-1M	Slimline SAS x4 (SFF-8654) 38-pin to Slimline SAS x4 (SFF-8654) 38-pin Cable - SLS-4X-4X-1M	0.6
Int. HD 24Gb/s Cables, New Products	SAS4-4343	Int. HD (SFF-8673) to Int. HD (SFF-8673) Cable	0.1
	SAS4-4343-0.5M	Int. HD (SFF-8673) to Int. HD (SFF-8673) Cable - SAS4-4343-0.5M	0.4
	SAS4-4343-1M	Int. HD (SFF-8673) to Int. HD (SFF-8673) Cable - SAS4-4343-1M	0.5
External HD 24Gb/s Cables, New Products	SAS4-7474	External HD (SFF-8674) 36-pin to External HD (SFF-8674) 36-pin Cable	0.1
	SAS4-7474A-1M	External HD (SFF-8674) 36-pin to External HD (SFF-8674) 36-pin Cable - SAS4-7474-1M	0.5
	SAS4-7474A-2M	External HD (SFF-8674) 36-pin to External HD (SFF-8674) 36-pin Cable - SAS4-7474-2M	1
	SAS4-7474A-3M	External HD (SFF-8674) 36-pin to External HD (SFF-8674) 36-pin Cable - SAS4-7474-3M	1.5
External Mini-SAS Cables	SA-8488-1M	SA-8488-1M	1
External Mini-SAS Cables	SA-8870	SA-8870	0.1
	SA-8870-.5M	SA-8870 - SA-8870-.5M	1
	SA-8870-1M	SA-8870 - SA-8870-1M	1
	SA-8870-2M	SA-8870 - SA-8870-2M	1
	SA-8870-3M	SA-8870 - SA-8870-3M	1
	SA-8870-4M	SA-8870 - SA-8870-4M	1
Ext HD Mini-SAS Cables (IPass+)	SA-44-8888-S2	SA-44-8888-S2	0.1
	SA-44-8888-1M-S2	SA-44-8888-S2 - SA-44-8888-1M-S2	1
	SA-44-8888-2M-S2	SA-44-8888-S2 - SA-44-8888-2M-S2	1
	SA-44-8888-3M-S2	SA-44-8888-S2 - SA-44-8888-3M-S2	3

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
Ext HD Mini-SAS Cables (IPass+)		SA-4444-S2	0.1
	SA-4444-.5M-S2	SA-4444-S2 - SA-4444-.5M-S2	1
	SA-4444-10M-S2	SA-4444-S2 - SA-4444-10M-S2	8
	SA-4444-1M-S2	SA-4444-S2 - SA-4444-1M-S2	1
	SA-4444-20M-S2	SA-4444-S2 - SA-4444-20M-S2	15
	SA-4444-2M-S2	SA-4444-S2 - SA-4444-2M-S2	1
	SA-4444-3M-S2	SA-4444-S2 - SA-4444-3M-S2	1
	SA-4444-5M-S2	SA-4444-S2 - SA-4444-5M-S2	3
Ext HD Mini-SAS Cables (IPass+)		SA-4482-S2	0.1
	SA-4482-.5M-S2	SA-4482-S2 - SA-4482-.5M-S2	1
	SA-4482-1M-S2	SA-4482-S2 - SA-4482-1M-S2	1
	SA-4482-2M-S2	SA-4482-S2 - SA-4482-2M-S2	1
Ext HD Mini-SAS Cables (IPass+)		SA-8744-S2	0.1
	SA-8744-.5M-S2	SA-8744-S2 - SA-8744-.5M-S2	1
	SA-8744-1M-S2	SA-8744-S2 - SA-8744-1M-S2	1
	SA-8744-2M-S2	SA-8744-S2 - SA-8744-2M-S2	1
	SA-8744-3M-S2	SA-8744-S2 - SA-8744-3M-S2	1
Ext HD Mini-SAS Cables (IPass+)		SA-88-4444L-S2	0.1
	SA-88-4444L-1M-S2	SA-88-4444L-S2 - SA-88-4444L-1M-S2	1
	SA-88-4444L-2M-S2	SA-88-4444L-S2 - SA-88-4444L-2M-S2	1
Ext HD Mini-SAS Cables (IPass+)		SA-8844-S2	0.1
	SA-8844-.5M-S2	SA-8844-S2 - SA-8844-.5M-S2	1
	SA-8844-10M-S2	SA-8844-S2 - SA-8844-10M-S2	7
	SA-8844-1M-S2	SA-8844-S2 - SA-8844-1M-S2	1
	SA-8844-20M-S2	SA-8844-S2 - SA-8844-20M-S2	15
	SA-8844-2M-S2	SA-8844-S2 - SA-8844-2M-S2	1
	SA-8844-3M-S2	SA-8844-S2 - SA-8844-3M-S2	1
	SA-8844-5M-S2	SA-8844-S2 - SA-8844-5M-S2	3
Ext HD Mini-SAS Cables (IPass+)		SA-F44S7P-S2	0.1
	SA-F44S7P-.5M-S2	SA-F44S7P-S2 - SA-F44S7P-.5M-S2	1
	SA-F44S7P-1M-S2	SA-F44S7P-S2 - SA-F44S7P-1M-S2	1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
Ext HD Mini-SAS Cables (IPass+)	SA-F44S7P-2M-S2	SA-F44S7P-S2 - SA-F44S7P-2M-S2	1
	SA-F44S7P-3M-S2	SA-F44S7P-S2 - SA-F44S7P-3M-S2	1
		SA-FS7P44-S2	0.1
	SA-FS7P44-.5M-S2	SA-FS7P44-S2 - SA-FS7P44-.5M-S2	1
	SA-FS7P44-1M-S2	SA-FS7P44-S2 - SA-FS7P44-1M-S2	1
	SA-FS7P44-2M-S2	SA-FS7P44-S2 - SA-FS7P44-2M-S2	1
	SA-FS7P44-3M-S2	SA-FS7P44-S2 - SA-FS7P44-3M-S2	1
HD Mini-SAS Cables (12Gb/s)	SA-4343LS-N2	HD MiniSAS Int. (SFF-8643) to HD MiniSAS Int. (SFF-8643) 12Gb/s SAS Cable	0.1
		HD MiniSAS Int. (SFF-8643) to HD MiniSAS Int. (SFF-8643) 12Gb/s SAS Cable - SA-4343LS-.5M-N2	1
	SA-4343LS-.5M-N2	SA-4343LS-.5M-N2	
		HD MiniSAS Int. (SFF-8643) to HD MiniSAS Int. (SFF-8643) 12Gb/s SAS Cable - SA-4343LS-.6M-N2	1
	SA-4343LS-.6M-N2	SA-4343LS-.6M-N2	
		HD MiniSAS Int. (SFF-8643) to HD MiniSAS Int. (SFF-8643) 12Gb/s SAS Cable - SA-4343LS-.8M-N2	1
	SA-4343LS-.8M-N2	SA-4343LS-.8M-N2	
HD Mini-SAS Cables (12Gb/s)	SA-4343LS-1M-N2	HD MiniSAS Int. (SFF-8643) to HD MiniSAS Int. (SFF-8643) 12Gb/s SAS Cable - SA-4343LS-1M-N2	1
		HD MiniSAS Int. (SFF-8643) to HD MiniSAS Int. (SFF-8643) 12Gb/s SAS Cable - SA-4343LS-2M-N2	1
	SA-4343LS-2M-N2	SA-4343LS-2M-N2	
	SA-4380M-BP-N2	Int. MiniSAS HD (SFF-8643) to *2 Dual port 12G SAS Drive (SFF-8680) Cable	0.1
	SA-4380M-BP-0.5M-N2	Int. MiniSAS HD (SFF-8643) to *2 Dual port 12G SAS Drive (SFF-8680) Cable - SA-4380M-BP-0.5M-N2	1
		Int. MiniSAS HD (SFF-8643) to *2 Dual port 12G SAS Drive (SFF-8680) Cable - SA-4380M-BP-1M-N2	1
	SA-4380M-BP-1M-N2	SA-4380M-BP-1M-N2	
HD Mini-SAS Cables (12Gb/s)	SA-4380M-BP-2M-N2	Int. MiniSAS HD (SFF-8643) to *2 Dual port 12G SAS Drive (SFF-8680) Cable - SA-4380M-BP-2M-N2	1.8
		Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Straight Cable	0.1
	SA-43RA43S-N2	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Straight Cable - SA-43RA43S-.5M-N2	1
	SA-43RA43S-.5M-N2	SA-43RA43S-.5M-N2	
		Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Straight Cable - SA-43RA43S-.8M-N2	1
	SA-43RA43S-.8M-N2	SA-43RA43S-.8M-N2	
		Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Straight Cable - SA-43RA43S-1M-N2	1
SA-43RA43S-1M-N2	SA-43RA43S-1M-N2		
	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Straight Cable - SA-43RA43S-2M-N2	1	
SA-43RA43S-2M-N2	SA-43RA43S-2M-N2		

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
HD Mini-SAS Cables (12Gb/s)	SA-44-44444444L-S2	Cable - SA-43RA43S-2M-N2 Ext. HD MiniSAS (SFF-8644)w/EMI Shield to *4 Ext. HD MiniSAS (SFF-8644) Cable	0.1
	SA-44-44444444L-1M-S2	Ext. HD MiniSAS (SFF-8644)w/EMI Shield to *4 Ext. HD MiniSAS (SFF-8644) Cable - SA-44-44444444L-1M-S2	1
	SA-44-44444444L-2M-S2	Ext. HD MiniSAS (SFF-8644)w/EMI Shield to *4 Ext. HD MiniSAS (SFF-8644) Cable - SA-44-44444444L-2M-S2	2
HD Mini-SAS Cables (12Gb/s)	SA-4436L-S2	Ext. MiniSAS HD (SFF-8644) to QSFP+ Cable	0.1
	SA-4436L-1M-S2	Ext. MiniSAS HD (SFF-8644) to QSFP+ Cable - SA-4436L-1M-S2	1
	SA-4436L-2M-S2	Ext. MiniSAS HD (SFF-8644) to QSFP+ Cable - SA-4436L-2M-S2	1
	SA-4436L-3M-S2	Ext. MiniSAS HD (SFF-8644) to QSFP+ Cable - SA-4436L-3M-S2	1
	SA-4436L-5M-S2	Ext. MiniSAS HD (SFF-8644) to QSFP+ Cable - SA-4436L-5M-S2	2
HD Mini-SAS Cables (12Gb/s)	SA-4443L-S2N2	HD MiniSAS Ext. (SFF-8644) to HD MiniSAS Int. (SFF-8643) Cable	0.1
	SA-4443L-.5M-S2N2	HD MiniSAS Ext. (SFF-8644) to HD MiniSAS Int. (SFF-8643) Cable - SA-4443L-.5M-S2N2	0.2
	SA-4443L-1M-S2N2	HD MiniSAS Ext. (SFF-8644) to HD MiniSAS Int. (SFF-8643) Cable - SA-4443L-1M-S2N2	1
	SA-4443L-2M-S2N2	HD MiniSAS Ext. (SFF-8644) to HD MiniSAS Int. (SFF-8643) Cable - SA-4443L-2M-S2N2	1.2
	SA-4443L-3M-S2N2	HD MiniSAS Ext. (SFF-8644) to HD MiniSAS Int. (SFF-8643) Cable - SA-4443L-3M-S2N2	1.5
	SA-4444L-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable	0.1
	SA-4444L-0.3M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-0.3M-S2	0.1
HD Mini-SAS Cables (12Gb/s)	SA-4444L-0.5M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-0.5M-S2	0.1
	SA-4444L-1.5M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-1.5M-S2	1
	SA-4444L-10M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-10M-S2	2.5
	SA-4444L-1M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-1M-S2	0.3
	SA-4444L-2M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-2M-S2	1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-4444L-3M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-3M-S2	1
	SA-4444L-5M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-5M-S2	1.8
	SA-4444L-6M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-6M-S2	1.9
	SA-4444L-8M-S2	Ext. HD MiniSAS (SFF-8644) - Ext. HD MiniSAS (SFF-8644) Cable - SA-4444L-8M-S2	2.1
HD Mini-SAS Cables (12Gb/s)	SA-44X2-80X4-1M-S2	*2 Ext. HD MiniSAS (SFF-8644) to *4 12G SAS Drive (SFF-8680) Cable	0.5
External Mini-SAS Cables		SA-8882-HDD	0.1
	SA-8882-HDD-.5M	SA-8882-HDD - SA-8882-HDD-.5M	0.1
	SA-8882-HDD-1M	SA-8882-HDD - SA-8882-HDD-1M	0.1
	SA-8882-HDD-2M	SA-8882-HDD - SA-8882-HDD-2M	0.1
External Mini-SAS Cables		SA-8884	0.1
	SA-8884-.5M	SA-8884 - SA-8884-.5M	0.1
	SA-8884-1M	SA-8884 - SA-8884-1M	0.1
External Mini-SAS Cables		SA-8887	0.1
	SA-8887-.5M	SA-8887 - SA-8887-.5M	0.1
	SA-8887-1M	SA-8887 - SA-8887-1M	0.1
	SA-8887-2M	SA-8887 - SA-8887-2M	0.1
	SA-8887-3M	SA-8887 - SA-8887-3M	0.1
	SA-8887-6M	SA-8887 - SA-8887-6M	0.1
External Mini-SAS Cables		SA-8888	0.1
	SA-8888-.5M	SA-8888 - SA-8888-.5M	0.1
	SA-8888-1M	SA-8888 - SA-8888-1M	0.1
	SA-8888-2M	SA-8888 - SA-8888-2M	0.1
	SA-8888-3M	SA-8888 - SA-8888-3M	0.1
	SA-8888-4M	SA-8888 - SA-8888-4M	0.1
	SA-8888-6M	SA-8888 - SA-8888-6M	0.1
External Mini-SAS Cables		SA-88S7P	0.1
	SA-88S7P-.5M	SA-88S7P - SA-88S7P-.5M	0.1
	SA-88S7P-1M	SA-88S7P - SA-88S7P-1M	0.1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
External Mini-SAS Cables	SA-88S7P-2M	SA-88S7P - SA-88S7P-2M	0.1
		SA-F88S7P	0.1
External Mini-SAS Cables	SA-F88S7P-.5M	SA-F88S7P - SA-F88S7P-.5M	0.1
	SA-F88S7P-1M	SA-F88S7P - SA-F88S7P-1M	0.1
	SA-F88S7P-2M	SA-F88S7P - SA-F88S7P-2M	0.1
		SA-FS7P88	0.1
External Mini-SAS Cables	SA-FS7P88-.5M	SA-FS7P88 - SA-FS7P88-.5M	0.1
	SA-FS7P88-1M	SA-FS7P88 - SA-FS7P88-1M	0.1
	SA-FS7P88-2M	SA-FS7P88 - SA-FS7P88-2M	0.1
External Mini-SAS Cables		SA-S7P88	0.1
	SA-S7P88-.5M	SA-S7P88 - SA-S7P88-.5M	0.1
	SA-S7P88-1M	SA-S7P88 - SA-S7P88-1M	0.1
HD Mini-SAS Cables (12Gb/s)	SA-S7P88-2M	SA-S7P88 - SA-S7P88-2M	0.1
	SA-4343TX-N2	Mini SAS HD 4i (SFF-8643) – Mini SAS HD 4i (SFF-8643) 12Gb/s SAS Cable	0.1
	SA-4343TX-0.5M-N2	Mini SAS HD 4i (SFF-8643) – Mini SAS HD 4i (SFF-8643) 12Gb/s SAS Cable - SA-4343TX-0.5M-N2	1
HD Mini-SAS Cables (12Gb/s)	SA-4343TX-1M-N2	Mini SAS HD 4i (SFF-8643) – Mini SAS HD 4i (SFF-8643) 12Gb/s SAS Cable - SA-4343TX-1M-N2	1
	SA-4380-1M-N2	Int. Mini SAS HD 4x (SFF-8643) to *4 12G SAS 29-pin female (SFF-8680) Cable	0.2
HD Mini-SAS Cables (12Gb/s)	SA-4380-HDD-1M-N2	Int. Mini SAS HD 4x (SFF-8643) to *2 12G SAS 29-pin female (SFF-8680) Cable	0.2
HD Mini-SAS Cables (12Gb/s)	SA-4380M-N2	Int. MiniSAS HD (SFF-8643) to *4 port 12G SAS Drive (SFF-8680) Cable	0.1
	SA-4380M-0.5M-N2	Int. MiniSAS HD (SFF-8643) to *4 port 12G SAS Drive (SFF-8680) Cable - SA-4380M-0.5M-N2	1
HD Mini-SAS Cables (12Gb/s)	SA-4380M-1M-N2	Int. MiniSAS HD (SFF-8643) to *4 port 12G SAS Drive (SFF-8680) Cable - SA-4380M-1M-N2	1
	SA-4380M-2M-N2	Int. MiniSAS HD (SFF-8643) to *4 port 12G SAS Drive (SFF-8680) Cable - SA-4380M-2M-N2	1
	SA-43RA43RAS-N2	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Right Angle Cable	0.3
	SA-43RA43RAS-0.5M-N2	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Right Angle Cable - SA-43RA43RAS-0.5M-N2	1
	SA-43RA43RAS-0.8M-N2	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Right Angle Cable - SA-43RA43RAS-0.8M-N2	1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-43RA43RAS-1M-N2	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Right Angle Cable - SA-43RA43RAS-1M-N2	1
	SA-43RA43RAS-2M-N2	Int. HD MiniSAS (SFF-8643) Right Angle to Int. HD MiniSAS (SFF-8643) Right Angle Cable - SA-43RA43RAS-2M-N2	1
HD Mini-SAS Cables (12Gb/s)	SA-44-4444L	Ext. HD MiniSAS (SFF-8644) to *2 Ext. HD MiniSAS (SFF-8644) Cable	0.1
HD Mini-SAS Cables (12Gb/s)	SA-4480-1M-S2	HD MiniSAS 4x (SFF-8644) to *4 12G SAS 29-pin female (SFF-8680) Cable	0.3
HD Mini-SAS Cables (12Gb/s)	SA-4480-HDD-1M-S2	HD Mini SAS 4x (SFF-8644) to *2 12G SAS 29-pin female (SFF-8680) Dual Ported Cable	0.5
HD Mini-SAS Cables (12Gb/s)	SA-4480M-S2	Ext. MiniSAS HD (SFF-8644) to *4 12G SAS Drive (SFF-8680) Male Plug Cable	0.1
	SA-4480M-0.5M-S2	Ext. MiniSAS HD (SFF-8644) to *4 12G SAS Drive (SFF-8680) Male Plug Cable - SA-4480M-0.5M-S2	0.2
	SA-4480M-1M-S2	Ext. MiniSAS HD (SFF-8644) to *4 12G SAS Drive (SFF-8680) Male Plug Cable - SA-4480M-1M-S2	0.6
	SA-4480M-2M-S2	Ext. MiniSAS HD (SFF-8644) to *4 12G SAS Drive (SFF-8680) Male Plug Cable - SA-4480M-2M-S2	0.8
HD Mini-SAS Adapters	SA-44X2F-43X4-22in	Dual HD MiniSAS Receptacle (SFF-8644) to Quad Int MD MiniSAS Plug (SFF-8643) Adapter	0.4
HD Mini-SAS Adapters	SA-AD-4439-04HP	12Gb/s SAS 4-port T-Card with Hot Plug Support	0.2
HD Mini-SAS Adapters	SA-AD-4439-04	12Gb/s SAS 4-port T-Card	0.2
Active Mini-SAS Cables	SA-4488IC-.5M	SA-4488IC-.5M	0.1
Ext HD Mini-SAS Cables (IPass+)		SA-4482-HDD-S2	0.1
	SA-4482-HDD-.5M-S2	SA-4482-HDD-S2 - SA-4482-HDD-.5M-S2	1
	SA-4482-HDD-1M-S2	SA-4482-HDD-S2 - SA-4482-HDD-1M-S2	1
Ext HD Mini-SAS Cables (IPass+)		SA-4482-BP-S2	0.1
	SA-4482-BP-0.5M-S2	SA-4482-BP-S2 - SA-4482-BP-0.5M-S2	1
	SA-4482-BP-1M-S2	SA-4482-BP-S2 - SA-4482-BP-1M-S2	1
External Mini-SAS Cables	SA-88-88888888-02	SA-88-88888888-02	0.8
External Mini-SAS Cables	SA-88-8888-02R	SA-88-8888-02R	0.8
External Mini-SAS Cables	SA-88-8888-01R	SA-88-8888-01R	0.5
External Mini-SAS Cables		SA-8882	0.1
	SA-8882-.5M	SA-8882 - SA-8882-.5M	0.1
	SA-8882-1M	SA-8882 - SA-8882-1M	0.1
External Mini-SAS Cables		SA-8882-BP	0.1

Category	PN/SKU	Description	Wt / lbs (1lbs = 0.45kg)
	SA-8882-BP-.5M	SA-8882-BP - SA-8882-BP-.5M	0.1
	SA-8882-BP-1M	SA-8882-BP - SA-8882-BP-1M	0.1
External Mini-SAS Cables	SA-8888-HDD-1M	SA-8888-HDD-1M	0.1
External Mini-SAS Cables	SA-8888-BP-1M	SA-8888-BP-1M	0.1
External Mini-SAS Cables	SA-8888-88888888-XX	SA-8888-88888888-XX	0.1
Int. HD Mini-SAS Cables (IPass+)		SA-4382-HDD-N2	0.1
	SA-4382-HDD-.5M-N2	SA-4382-HDD-N2 - SA-4382-HDD-.5M-N2	1
	SA-4382-HDD-1M-N2	SA-4382-HDD-N2 - SA-4382-HDD-1M-N2	1
	SA-4382-HDD-2M-N2	SA-4382-HDD-N2 - SA-4382-HDD-2M-N2	1
Internal Mini-SAS Cables	SA-8487-.5M	SA-8487-.5M	0.2
Internal Mini-SAS Cables		SA-8787-H2T	0.1
	SA-8787-H2T-1M	SA-8787-H2T - SA-8787-H2T-1M	1
	SA-8787-H2T-2M	SA-8787-H2T - SA-8787-H2T-2M	1
Internal Mini-SAS Cables		SA-87RA70	0.1
	SA-87RA70-1M	SA-87RA70 - SA-87RA70-1M	1
	SA-87RA70-2M	SA-87RA70 - SA-87RA70-2M	1
	SA-87RA70-3M	SA-87RA70 - SA-87RA70-3M	1
Internal Mini-SAS Cables		SA-87RA87-H2H	0.1
	SA-87RA87-H2H-1M	SA-87RA87-H2H - SA-87RA87-H2H-1M	1
	SA-87RA87-H2H-2M	SA-87RA87-H2H - SA-87RA87-H2H-2M	1
Internal Mini-SAS Cables		SA-87RA87-H2T	0.1
	SA-87RA87-H2T-1M	SA-87RA87-H2T - SA-87RA87-H2T-1M	1
	SA-87RA87-H2T-2M	SA-87RA87-H2T - SA-87RA87-H2T-2M	1
Internal Mini-SAS Cables		SA-87RA87RA-H2H	0.1
	SA-87RA87RA-H2H-1M	SA-87RA87RA-H2H - SA-87RA87RA-H2H-1M	1
	SA-87RA87RA-H2H-2M	SA-87RA87RA-H2H - SA-87RA87RA-H2H-2M	1
Mini-SAS adapters	SA-AD-8887-LB	SA-AD-8887-LB	0.1
Mini-SAS adapters	SA-AD-82S7P-T	SA-AD-82S7P-T	0.1
Mini-SAS adapters	SA-AD-8870-02	SA-AD-8870-02	0.1
SAS Cables	SA-7070-5EQM	SA-7070-5EQM	0.5